Product data sheet

Specifications



Discontinued

Direct rotary handle, EasyPact CVS100/160/250, black handle, IP40

LV429337

Discontinued on: Jun 30, 2023

End-of-service on: Dec 31, 2024

Product availability: Non-Stock - Not normally stocked in distribution facility
Important message: This product has been switched to new ComPacT range and is no longer commercialized.

Main

Range of Product	EasyPact CVS100...250
Product or Component Type	Rotary handle
Range compatibility	EasyPact CVS100...250
Accessory / Separate Part Type	Control accessories
Handle colour	Black
Handle front plate colour	Black
Rotary handle mounting style	Direct

Complementary

Range Compatibility	Compact NS < 630A
Rotary handle padlocking	Padlock in OFF position 1 to 3 padlocks
Rotary handle mounting location	Front

Environment

IP Degree of Protection	IP40

Ordering and shipping details

Category	US10NET01081
Discount Schedule	0NET
GTIN	3606480020285
Returnability	No
Country of origin	PL

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.898 in (9.900 cm)
Package 1 Width	3.780 in (9.600 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	4.488 in (11.400 cm)
Package weight(Lbs)	9.630 oz (273.000 g)
Unit Type of Package 2	S04
Number of Units in Package 2	30
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	19.599 lb(US) (8.890 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	360
Package 3 Height	35.433 in (90.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	266.054 lb(US) (120.680 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**2 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**1 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0.1 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0.6 kg CO2 eq.**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
SCIP Number	**A996aaa1-a70f-4d6b-a770-cfa3eae2e33b**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Recyclability potential, in %	**65**
Take-back	**No**

Technical Illustration

Assembly's dimensions

